

V. Balasubramanian

Welcome to STN International! Enter x:x

LOGINID:sssptal611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	Jan 25	BLAST(R) searching in REGISTRY available in STN on the Web
NEWS	3	Jan 25	Searching with the P indicator for Preparations
NEWS	4	Jan 29	FSTA has been reloaded and moves to weekly updates
NEWS	5	Feb 01	DKILIT now produced by FIZ Karlsruhe and has a new update frequency
NEWS	6	Feb 19	Access via Tymnet and SprintNet Eliminated Effective 3/31/02
NEWS	7	Mar 08	Gene Names now available in BIOSIS
NEWS	8	Mar 22	TOXLIT no longer available
NEWS	9	Mar 22	TRCTHERMO no longer available
NEWS	10	Mar 28	US Provisional Priorities searched with P in CA/CAplus and USPATFULL
NEWS	11	Mar 28	LIPINSKI/CALC added for property searching in REGISTRY
NEWS	12	Apr 02	PAPERCHEM no longer available on STN. Use PAPERCHEM2 instead.
NEWS	13	Apr 08	"Ask CAS" for self-help around the clock
NEWS	14	Apr 09	BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS	15	Apr 09	ZDB will be removed from STN
NEWS EXPRESS			February 1 CURRENT WINDOWS VERSION IS V6.0d, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

*LBEILSTEIN - BEILSTEIN Learning File

* The files listed above are temporarily unavailable.

09/891,750

V. Balasubramanian

FILE 'HOME' ENTERED AT 16:59:35 ON 10 APR 2002

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 16:59:46 ON 10 APR 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 8 APR 2002 HIGHEST RN 404822-50-0

DICTIONARY FILE UPDATES: 8 APR 2002 HIGHEST RN 404822-50-0

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES
for more information. See STNote 27, Searching Properties in the CAS
Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

The P indicator for Preparations was not generated for all of the
CAS Registry Numbers that were added to the H/Z/CA/CAplus files between
12/27/01 and 1/23/02. Use of the P indicator in online and SDI searches
during this period, either directly appended to a CAS Registry Number
or by qualifying an L-number with /P, may have yielded incomplete results.
As of 1/23/02, the situation has been resolved. Also, note that searches
conducted using the PREP role indicator were not affected.

Customers running searches and/or SDIs in the H/Z/CA/CAplus files
incorporating CAS Registry Numbers with the P indicator between 12/27/01
and 1/23/02, are encouraged to re-run these strategies. Contact the
CAS Help Desk at 1-800-848-6533 in North America or 1-614-447-3698,
worldwide, or send an e-mail to help@cas.org for further assistance or to
receive a credit for any duplicate searches.

=>

Uploading 09747195.str

L1 STRUCTURE UPLOADED


=> d l1

L1 HAS NO ANSWERS

L1 STR

09/891,750

V. Balasubramanian



G1 O, S, N, CH

G2 X, O, N

G3 O, S, N, X, Cb, Ak

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 17:00:15 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 3042 TO ITERATE

32.9% PROCESSED 1000 ITERATIONS

50 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 57534 TO 64146

PROJECTED ANSWERS: 37702 TO 43092

L2 50 SEA SSS SAM L1


=> d scan

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Benzoic acid, 2,2'-[[6-[(4-methylphenyl)amino]-1,3,5-triazine-2,4-diyl]dihydrazo]bis- (9CI)

MF C24 H22 N8 O4


V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):49

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzaldehyde, 3,5-diiodo-2-methyl-, [4-(methylamino)-6-[[3-(trifluoromethyl)phenyl]amino]-1,3,5-triazin-2-yl]hydrazone (9CI)
MF C19 H16 F3 I2 N7



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 1,3,5-Triazine-2,4-diamine, 6-chloro-N,N'-bis[4-(diethylamino)phenyl]- (9CI)
MF C23 H30 Cl N7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

09/891,750


V. Balasubramanian

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzoic acid, 3-[[4-[(4-carboxyphenyl)amino]-6-[(4-chlorophenyl)thio]-
1,3,5-triazin-2-yl]amino]- (9CI)
MF C23 H16 Cl N5 O4 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 1,5-Naphthalenedisulfonic acid, 3-[[4-[[4-chloro-6-[[5-hydroxy-1,7-disulfo-
6-[[2-sulfo-4-[[2-(sulfooxy)ethyl]sulfonyl]phenyl]azo]-2-
naphthalenyl]amino]-1,3,5-triazin-2-yl]ethylamino]phenyl]azo]- (9CI)
MF C39 H32 Cl N9 O22 S7




PAGE 1-A




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzamide, 3-[[4-[(1-cyclohexylethyl)amino]-6-[(4-piperidinylmethyl)amino]-
 1,3,5-triazin-2-yl]amino]-4-methyl- (9CI)
 MF C25 H38 N8 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 1,3,5-Triazine-2,4-diamine, 6-chloro-N-[2-(1-cyclohexen-1-yl)ethyl]-N'-[3-(trifluoromethyl)phenyl]- (9CI)
 MF C18 H19 Cl F3 N5



V. Balasubramanian


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzamide, 3-[[4-[(2,2-dimethylpropyl)methylamino]-6-[[5-[(4-methylphenyl)methyl]-3-pyrrolidinyl]amino]-1,3,5-triazin-2-yl]amino]-4-methyl- (9CI)
MF C29 H40 N8 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2-Propenoic acid, 2-methyl-, methyl ester, polymer with
4-methyl-2-(5-methyl-2H-benzotriazol-2-yl)-6-[[4-[(1,2,2,6,6-pentamethyl-4-piperidinyl)oxy]-6-(2-propenyloxy)-1,3,5-triazin-2-yl]amino]phenol (9CI)
MF (C30 H38 N8 O3 . C5 H8 O2)x
CI PMS
CM 1




CM 2

V. Balasubramanian




L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 1,3,5-Triazin-2-amine, 4-(4-aminophenyl)-6-nitro-N-(4-nitrophenyl)- (9CI)
MF C15 H11 N7 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN INDEX NAME NOT YET ASSIGNED
MF C40 H30 Cl4 N14 O14 S4 . 4 Na

PAGE 1-A



●4 Na

PAGE 1-B




PAGE 1-C


SO₃H

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 1,?-Naphthalenedisulfonic acid, 2,2'-[methylenebis[(2-methoxy-4,1-phenylene)imino(6-chloro-1,3,5-triazine-4,2-diyl)imino(8-hydroxy-3,6-disulfo-1,7-naphthalenediyl)azo]]bis-, octasodium salt (9CI)
 MF C61 H44 Cl2 N14 O28 S8 . 8 Na
 CI IDS


PAGE 1-A



2 [D1-SO₃H]




L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzenediazonium, 4,4'-[[6-[bis(2-hydroxyethyl)amino]-1,3,5-triazine-2,4-diyl]diimino]bis[2,5-dimethoxy- (9CI)
 MF C23 H28 N10 O6
 CI COM




L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-bis[4-(1-methylethyl)phenyl]-, compd. with N,N-dibutyl-N'-[4-(1,1-dimethylethyl)phenyl]-N''-(phenylmethyl)-1,3,5-triazine-2,4,6-triamine (1:1) (9CI)
 MF C28 H40 N6 . C21 H23 N3 O3

CM 1




CM 2

V. Balasubramanian




L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzaldehyde, [4-(methylamino)-6-[[3-(trifluoromethyl)phenyl]amino]-1,3,5-triazin-2-yl]hydrazone (9CI)
MF C18 H16 F3 N7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2,7-Naphthalenedisulfonic acid, 4-amino-6-[[5-[[4-chloro-6-(cyanoamino)-1,3,5-triazin-2-yl]amino]-2-sulfohenyl]azo]-3-[[5-[[4-chloro-6-[[4-[(2-hydroxyethyl)sulfonyl]phenyl]amino]-1,3,5-triazin-2-yl]amino]-2-sulfohenyl]azo]-5-hydroxy- (9CI)
MF C37 H28 Cl2 N16 O16 S5

PAGE 1-A




PAGE 1-B



09/891,750



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Acetamide, 2-[[4-[(4-methoxyphenyl)amino]-6-[[(phenylamino)carbonyl]amino]-
 1,3,5-triazin-2-yl]amino]-N-[[(4-methylphenyl)amino]thioxomethyl]- (9CI)
 MF C27 H27 N9 O3 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2,7-Naphthalenedisulfonic acid, 4-amino-3,6-bis[[5-[[4-chloro-6-[[4-[[2-(sulfooxy)ethyl]sulfonyl]phenyl]amino]-1,3,5-triazin-2-yl]amino]-2-sulfo-phenyl]azo]-5-hydroxy- (9CI)
 MF C44 H37 Cl2 N15 O25 S8



—OSO₃H


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzamide, 3-[[4-[[1-[(2-methoxyphenyl)methyl]-3-pyrrolidinyl]amino]-6-
 [methyl(2-methylpropyl)amino]-1,3,5-triazin-2-yl]amino]-4-methyl- (9CI)
 MF C28 H38 N8 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 1-Octanesulfonamide, N,N',N''-[1,3,5-triazine-2,4,6-triyltris(imino[1,1'-
 biphenyl]-3,4-diylloxy-2,1-ethanediyl)]tris[1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8
 ,8-heptafluoro-N-propyl- (9CI)
 MF C78 H60 F51 N9 O9 S3



— (CF₂)₇—CF₃

—Pr-n


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Benzamide, N-methoxy-4-methyl-3-[[4-[methyl(3,3,3-trifluoro-2-methylpropyl)amino]-6-[(3R)-3-pyrrolidinylamino]-1,3,5-triazin-2-yl]amino]-
(9CI)

MF C21 H29 F3 N8 O2


Absolute stereochemistry.

V. Balasubramanian




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 1,3,6-Naphthalenetrisulfonic acid, 7-[[4-[[4-amino-6-chloro-1,3,5-triazin-2-yl]amino]-2-[(chloroacetyl)amino]phenyl]azo]- (9CI)
 MF C21 H16 Cl2 N8 O10 S3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzaldehyde, 2-hydroxy-5-nitro-, [4-(diphenylamino)-6-[(4-methoxyphenyl)amino]-1,3,5-triazin-2-yl]hydrazone (9CI)
 MF C29 H24 N8 O4



V. Balasubramanian

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 3H-Pyrazol-3-one, 4,4'-[[6-[(3-chloro-4-fluorophenyl)amino]-1,3,5-triazine-
2,4-diyl]diimino]bis[1,2-dihydro-1,5-dimethyl-2-phenyl- (9CI)
MF C31 H28 Cl F N10 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 1-Naphthalenesulfonic acid, 3,3'-[methylenebis[(2,3-dimethyl-4,1-
phenylene)azo]]bis[2-[[4-chloro-6-[(2-methylphenyl)amino]-1,3,5-triazin-2-
yl]amino]-, disodium salt (9CI)
MF C57 H48 Cl2 N14 O6 S2 . 2 Na

V. Balasubramanian



• 2 Na


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzaldehyde, 3,4-diethoxy-, [4-[(4-nitrophenyl)amino]-6-
 [(phenylmethyl)amino]-1,3,5-triazin-2-yl]hydrazone (9CI)
 MF C27 H28 N8 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2,7-Naphthalenedisulfonic acid, 4-amino-5-hydroxy-3,6-bis[[5-[[4-[(2-
 hydroxyethyl)thio]-6-[(2-methyl-4-sulfophenyl)amino]-1,3,5-triazin-2-
 yl]amino]-2-sulfophenyl]azo]- (9CI)
 MF C46 H43 N15 O21 S8

PAGE 1-A




PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzaldehyde, 3,4-dimethoxy-, [4-(phenylamino)-6-[(phenylmethyl)amino]-
 1,3,5-triazin-2-yl]hydrazone (9CI)
 MF C25 H25 N7 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2,7-Naphthalenedisulfonic acid, 4-amino-6-[[5-[(1,4-dihydro-6-methoxy-4-
 oxo-1,3,5-triazin-2-yl)amino]-2-sulfophenyl]azo]-3-[[5-[[1,4-dihydro-4-oxo-
 6-[[4-[[2-(sulfooxy)ethyl]sulfonyl]phenyl]amino]-1,3,5-triazin-2-yl]amino]-
 2-sulfophenyl]azo]-5-hydroxy- (9CI)
 MF C37 H32 N14 O22 S6

PAGE 1-A




PAGE 1-B




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN .alpha.-Cyclodextrin, 2A,2B,2C,2D,2E,2F,3A,3B,3C,3D,3E,3F,6A,6B,6C,6D,6E,6F-octadeca-O-methyl-, rotaxane compd. with 6-[[4-[[4-chloro-6-[(3-sulphophenyl)amino]-1,3,5-triazin-2-yl]methylamino]phenyl]azo]-1,3-naphthalenedisulfonic acid trisodium salt (1:1) (9CI)
 MF C54 H96 O30 . C26 H20 Cl N7 O9 S3 . 3 Na
 CM 1





CM 2


Absolute stereochemistry.



L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2,7-Naphthalenedisulfonic acid, 3-[[5-[[4-chloro-6-[[3-[[2-(sulfoxy)ethyl]sulfonyl]phenyl]amino]-1,3,5-triazin-2-yl]amino]-2-sulfophenyl]azo]-5-[[4-[(2-ethylphenyl)amino]-6-[[8-hydroxy-3,6-disulfo-7-[[4-[[2-(sulfoxy)ethyl]sulfonyl]phenyl]azo]-1-naphthalenyl]amino]-1,3,5-triazin-2-yl]amino]-4-hydroxy- (9CI)
 MF C56 H48 Cl N15 O29 S9

PAGE 1-A






PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzamide, 3-[[4-[(2,2-dimethylpropyl)methylamino]-6-[[(3R)-1-(1-methylpropyl)-3-pyrrolidinyl]amino]-1,3,5-triazin-2-yl]amino]-4-methyl- (9CI)
 MF C25 H40 N8 O


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 5-Pyrimidinecarbonitrile, 2-[2-[4,6-bis[(3-methoxyphenyl)amino]-1,3,5-triazin-2-yl]hydrazino]-1,6-dihydro-1-methyl-6-oxo-4-phenyl- (9CI)
 MF C29 H26 N10 O3

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzamide, 3-[[4-[(2,2-dimethylpropyl)methylamino]-6-[[2-(1-pyrrolidiny)ethyl]amino]-1,3,5-triazin-2-yl]amino]-N-methoxy-4-methyl- (9CI)
 MF C24 H38 N8 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 2-Naphthalenesulfonic acid, 5-[[4-[[4-chloro-6-[phenyl[2-[[2-(sulfooxy)ethyl]sulfonyl]ethyl]amino]-1,3,5-triazin-2-yl]amino]-2-sulfophenyl]azo]-4-hydroxy-6-[(sulfomethyl)amino]- (9CI)
 MF C30 H29 Cl N8 O16 S5

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzaldehyde, 3,5-diiodo-2-methoxy-, [4-(methylamino)-6-(phenylamino)-
 1,3,5-triazin-2-yl]hydrazone (9CI)
 MF C18 H17 I2 N7 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 1,3,5-Triazine-2,4,6-triamine, N-(4-chlorophenyl)-N'-[2-(4-
 morpholinyl)ethyl]-N''-(4-nitrophenyl)- (9CI)
 MF C21 H23 Cl N8 O3


09/891,750

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzaldehyde, 3,5-dibromo-2-[(2,4-dichlorophenyl)methoxy]-,
[4,6-bis(phenylamino)-1,3,5-triazin-2-yl]hydrazone (9CI)
MF C29 H21 Br2 Cl2 N7 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 2-Furancarboxaldehyde, 5-(4-chlorophenyl)-, [4-[(3,4-dimethylphenyl)amino]-
6-[(4-nitrophenyl)amino]-1,3,5-triazin-2-yl]hydrazone (9CI)
MF C28 H23 Cl N8 O3

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzonitrile, 4-[[4-amino-6-[(2,6-dimethylphenyl)methyl]-1,3,5-triazin-2-yl]amino]- (9CI)
MF C19 H18 N6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT



L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 1,3,5-Triazin-2(1H)-one, 4-[(2,4-dimethylphenyl)amino]-6-(phenylamino)-, [1-(4-fluorophenyl)ethylidene]hydrazone (9CI)
MF C25 H24 F N7

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 1,7-Naphthalenedisulfonic acid, 2-[[4-[[3-[(aminocarbonyl)amino]-4-[(2,5-disulfophenyl)azo]phenyl]amino]-6-chloro-1,3,5-triazin-2-yl]amino]-5-hydroxy-6-[[2-sulfo-4-[[2-(sulfooxy)ethyl]sulfonyl]phenyl]azo]- (9CI)
 MF C34 H28 Cl N11 O23 S7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Phenol, 4-[[[2-[[4,6-bis(phenylamino)-1,3,5-triazin-2-yl]thio]-6-benzothiazolyl]imino]methyl]-2-nitro- (9CI)
 MF C29 H20 N8 O3 S2


09/891,750

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN 1,3,5-Triazine-2,4,6-triamine, N,N'-bis(2,5-dimethylphenyl)-N''-(2,6-dimethylphenyl)- (9CI)
MF C27 H30 N6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
IN Benzamide, 4-methyl-N-(1-methylethyl)-3-[[4-[methyl(2-methylpropyl)amino]-6-[(3R)-3-pyrrolidinylamino]-1,3,5-triazin-2-yl]amino]- (9CI)
MF C23 H36 N8 O




Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzenesulfonic acid, 2,2'-(1,2-ethenediyl)bis[5-[[4-[(2-cyanoethyl)(2-hydroxyethyl)amino]-6-[(sulfohenyl)amino]-1,3,5-triazin-2-yl]amino]-
 (9CI)
 MF C42 H42 N14 O14 S4
 CI IDS

PAGE 1-A



—CH₂—CN


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benamide, 3-[(4,6-dichloro-1,3,5-triazin-2-yl)amino]-4-methyl-N-(2-phenylethyl)- (9CI)
 MF C19 H17 Cl2 N5 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN Benzenesulfonic acid, 2,2'-(1,2-ethenediyl)bis[5-[[4-[(2-hydroxypropyl)amino]-6-[(4-sulfophenyl)amino]-1,3,5-triazin-2-yl]amino]- (9CI)
 MF C38 H40 N12 O14 S4
 CI COM

PAGE 1-A




PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 1,3,5-Triazine, 2,4-dichloro-6-[4-[[4-(phenylazo)phenyl]azo]phenoxy]-
 (9CI)
 MF C21 H13 Cl2 N7 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS
 IN 1,3,5-Triazin-2-amine, N-(4-chlorophenyl)-4,6-diethoxy- (9CI)
 MF C13 H15 Cl N4 O2

V. Balasubramanian



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.76

0.97

STN INTERNATIONAL LOGOFF AT 17:00:59 ON 10 APR 2002